



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/509,878	12/03/2004	Markku Mantyla	121344	4962
25944	7590	05/24/2007		
OLIFF & BERRIDGE, PLC P.O. BOX 19928 ALEXANDRIA, VA 22320			EXAMINER KOCH, GEORGE R	
			ART UNIT 1734	PAPER NUMBER
			MAIL DATE 05/24/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/509,878

Applicant(s)

MANTYLA, MARKKU

Examiner

George R. Koch III

Art Unit

1734

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 21-40 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 21-40 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>12/3/2004</u> . | 6) <input type="checkbox"/> Other: ____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 21, 22, 27-31, 36-40 are rejected under 35 U.S.C. 102(e) and (b) as being anticipated by Kustermann (US 6,248,174).

As to claim 21, Kustermann discloses a method of measuring the amount of a coating on a paper web (Kustermann is directed towards control of the quantity of coating, i.e., the amount - see background of the invention section), the method comprising measuring the amount of at least one component of the coating on the paper web (via sensor 46 - see column 4, lines 32-67), measuring the composition of the coating to be transferred to the paper web (see column 5, lines 9-12, which discloses a coating medium sensor 52 which gives information about the composition and especially the solid substance coating medium 14 in the coating medium supply 30; see also flow metering measuring devices 62, column 5, lines 36-59, which discloses

Art Unit: 1734

that the meters allow for a determination of the solid substance content of the coating medium), and determining the amount of the coating on the paper web on the basis of the amount of at least one component of the coating on the paper web and the composition of the coating to be transferred to the paper web (see columns 4-6 in general, and especially column 5, lines 55-57, which discloses that the "Control unit 42 may determine from this the flow quantity of the coating layer 14a", and Figure 1 shows that coating layer 14a is on the web).

As to claim 22, Kustermann discloses further adjusting the amount of the coating on the paper web on the basis of the measurement of the amount of the coating on the paper web (see column 5, lines 16-35, which discloses adjusting the amount of coating by sliding elements 38 and affiliated actuators 40).

As to claim 27 and 29, Kustermann discloses that the amount of at least one component of the coating on the paper web is measured continuously (see, for example, column 4, line 62 talks about differential signals and column 2 talks about setting the signals to change slowly, which suggests continuous signals that vary infrequently).

As to claim 28, Kustermann discloses monitoring the coating, and discloses that the coating is paint (see column 4, lines 2 and 3). Thus, Kustermann monitors the pigment since it is monitoring the paint.

As to claim 30, Kustermann also discloses an apparatus (Figure 1) for measuring the amount of a coating on a paper web, the apparatus comprising a first measuring device arranged to measure the amount of at least one component in the coating on the

Art Unit: 1734

paper web by reflection measurement (via sensor 46 - see column 4, lines 32-67), a second measuring device arranged to measure the composition of the coating to be transferred to the paper web (see column 5, lines 9-12, which discloses a coating medium sensor 52 which gives information about the composition and especially the solid substance coating medium 14 in the coating medium supply 30; see also flow metering measuring devices 62, column 5, lines 36-59, which discloses that the meters allow for a determination of the solid substance content of the coating medium), and a data processing device (control unit 42 - see column 5, line 4) arranged to determine the amount of the coating on the paper web on the basis of the amount of at least one component of the coating on the paper web and the composition of the coating to be transferred to the paper web (see operations in column 4 and 5).

As to claim 31, Kustermann discloses that the apparatus further comprises a control device (sliding elements 38 and actuators 40) arranged to adjust the amount of the coating on the paper web on the basis of the measurement of the amount of the coating on the paper web (see column 5, lines 16-35).

As to claim 36 and 38, Kustermann discloses that the amount of at least one component of the coating on the paper web is measured continuously (see, for example, column 4, line 62 talks about differential signals and column 2 talks about setting the signals to change slowly, which suggests continuous signals that vary infrequently).

Art Unit: 1734

As to claim 37, Kustermann discloses monitoring the coating, and discloses that the coating is paint (see column 4, lines 2 and 3). Thus, Kustermann monitors the pigment since it is monitoring the paint.

As to claim 39 and 40, Kustermann discloses placing this second measuring device is in a coating reservoir in a coating head (such as sensors 62 and 64), and/or in a reservoir (such as material supply 30 with composition sensor 52).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

5. Claims 39 and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kustermann (US 6,248,174) as applied above.

As to claim 39 and 40, Kustermann as incorporated discloses placing this second measuring device is in a coating reservoir in a coating head (such as sensors 62 and

64), and/or in a reservoir (such as material supply 30 with composition sensor 52).

Furthermore, the additional locations (such as in a mixer, or a feed line, or a separate sample line, or transfer lines, storage tanks, etc) are considered to be obvious alternative positions to place the sensor of Kustermann.

6. Claims 23, 24, 25, 28, 32, 33, 34, and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kustermann (US 6,248,174) as applied above and further in view of Belotserkovsky (US 6,183,561).

As to claim 23 and 32, Kusterman does not disclose that the amount of at least one component of the coating on the paper web is measured by reflection measurement or that the first measuring device is arranged to measure the amount of at least one component of the coating on the paper web by reflection measurement.

However, Belotserkovsky discloses that the amount of at least one component of the coating on the paper web is measured by a measuring device that uses reflection measurement (see Figure 2, which shows a sensor that operates by reflection, and column 6, lines 49-51, which recite a "reflectance-type infrared sensor". See also column 7, line 45 to column 8, line 32, and see in general column 6 through 10 for discussion of the sensor operation). Belotserkovsky uses these reflectance sensors in order to obtain accurate measurement of multiple parameters (see column 7, lines 27-32). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized such sensors and measurements of the composition of the coating in order to ensure accuracy in measurement of the parameters.

Similarly, as to claim 24 and 33, Belotserkovsky as incorporated discloses that the amount of at least one component of the coating on the paper web is measured by a sensor that is reflection measurement based on infrared technique (see column 6, lines 49-51, which recite a "reflectance-type infrared sensor".)

As to claim 25 and 34, Kustermann discloses monitoring the composition of the coating (see above), but does not suggest the technique. Belotserkovsky as incorporated suggests an infrared technique for monitoring the coating after it has been applied. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have applied the specific technique of Belotserkovsky to the desired sensor of Kustermann, in order to achieve the function of Kustermann.

As to claim 28 and 37, Kustermann can be interpreted as being silent as to monitoring the amount of pigment, although it clearly monitors the paint. However, Belotserkovsky discloses that the amount of at least one component of the coating on the paper web is the amount of a pigment in the coating on the paper web (see column 7, lines 45-65, which discloses pigments such as CaCO_3 , latex, clay; see also column 1, lines 24-39, which discloses that clay and CaCO_3 are pigments). Belotserkovsky discloses that it is critical to monitor these pigments in order to achieve as uniform a coating as possible (column 1, lines 55-59). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized a step or sensor for monitoring pigments in order to ensure as uniform a coating as possible.

Art Unit: 1734

7. Claims 21-24, 26-34, and 36-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Belotserkovsky (US 6,183,561) and Kustermann (US 6,248,174).

As to claim 21, Belotserkovsky discloses a method of measuring the amount of a coating on a paper web, the method comprising measuring the amount of at least one component of the coating on the paper web (by sensor 32), measuring the composition of *the web* prior to the coating of the paper web (by sensor 23), and determining the amount of the coating on the paper web on the basis of the amount of at least one component of the coating on the paper web and the composition of the coating to be transferred to the paper web.

Belotserkovsky does not disclose measuring the *composition* of the coating to be transferred to the paper web.

However, Kustermann discloses that it is known to monitor and control paper web coating (see abstract, which recites paper or cardboard) by three measurements. Kustermann utilizes a measurement of the web at the pre and post coating locations (see Figure 1, items 44 and 46, and column 4, lines 46-52). Kustermann also discloses a measurement of the mass, composition or volume flow of the coating to be transferred (see column 5, lines 9-12, which discloses a coating medium sensor 52 which gives information about the composition and especially the solid substance coating medium 14 in the coating medium supply 30; and see also column 5, lines 55-59, which discloses that the control unit can determine the solid substance content of the coating medium from this measurement). Thus, these measurement are a measurement of the composition of the coating to be transferred to the paper web. Kustermann further

Art Unit: 1734

discloses that these additional measurements increase the accuracy of the flow quantity registration by comparing various flow quantity signals (see column 5, lines 60-64).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized such extra sensors and measurements of the composition of the coating in order to ensure accuracy in the flow quantity of the coating.

As to claim 22, Belotserkovsky discloses further adjusting the amount of the coating on the paper web on the basis of the measurement of the amount of the coating on the paper web (see column 6, lines 28-51, especially actuators 26, and see column 6-10 in general for the control operation).

As to claim 23, Belotserkovsky discloses that the amount of at least one component of the coating on the paper web is measured by reflection measurement (see Figure 2, which shows a sensor that operates by reflection, and column 6, lines 49-51, which recite a "reflectance-type infrared sensor". See also column 7, line 45 to column 8, line 32, and see in general column 6 through 10 for discussion of the sensor operation).

As to claim 24, Belotserkovsky discloses that the amount of at least one component of the coating on the paper web is measured by reflection measurement based on infrared technique (see column 6, lines 49-51, which recite a "reflectance-type infrared sensor".)

As to claim 25, Kustermann discloses monitoring the composition of the coating (see above), but does not suggest the technique. Belotserkovsky suggests an infrared

technique for monitoring the coating after it has been applied. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have applied the specific technique of Belotserkovsky to the desired sensor of Kustermann, in order to achieve the function of Kustermann.

As to claim 27 and 29, Belotserkovsky and Kustermann discloses that the amount of at least one component of the coating on the paper web is measured continuously (in Belotserkovsky, see column 6, lines 52-56, which discloses that the sensor is driven back and forth to make measurements over each slice portion, which is another way of saying continuous measurement; in Kustermann, see, for example, column 4, line 62 talks about differential signals and column 2 talks about setting the signals to change slowly, which suggests continuous signals that vary infrequently).

As to claim 28, Belotserkovsky discloses that the amount of at least one component of the coating on the paper web is the amount of a pigment in the coating on the paper web (see column 7, lines 45-65, which discloses pigments such as CaCO_3 , latex, clay; see also column 1, lines 24-39, which discloses that clay and CaCO_3 are pigments).

As to claim 30, Belotserkovsky discloses an apparatus for measuring the amount of a coating on a paper web, the apparatus comprising a first measuring device arranged to measure the amount of at least one component in the coating on the paper web by reflection measurement, a second measuring device arranged to measure the composition of the coating to be transferred to the paper web, and a data processing device arranged to determine the amount of the coating on the paper web on the basis

Art Unit: 1734

of the amount of at least one component of the coating on the paper web and the composition of the coating to be transferred to the paper web.

Belotserkovsky does not disclose a second measuring device arranged to measure the *composition* of the coating to be transferred to the paper web.

However, Kustermann discloses that it is known to use a measuring device monitor and control paper web coating (see abstract, which recites paper or cardboard) by multiple measurements. Kustermann utilizes a measurement of the web at the pre and post coating locations (see Figure 1, items 44 and 46, and column 4, lines 46-52). Kustermann also discloses a measurement of the mass, composition or volume flow of the coating to be transferred (see column 5, lines 9-12, which discloses a coating medium sensor 52 which gives information about the composition and especially the solid substance coating medium 14 in the coating medium supply 30; and see also column 5, lines 55-59, which discloses that the control unit can determine the solid substance content of the coating medium from this measurement). Thus, these measurement are a measurement of the composition of the coating to be transferred to the paper web. Kustermann further discloses that these additional measurements increase the accuracy of the flow quantity registration by comparing various flow quantity signals (see column 5, lines 60-64). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized such extra sensors and measurements of the composition of the coating in order to ensure accuracy in toe flow quantity of the coating.

As to claim 31, Belotserkovsky discloses a control device (actuators 26) for adjusting the amount of the coating on the paper web on the basis of the measurement of the amount of the coating on the paper web (see column 6, lines 28-51, especially actuators 26, and see column 6-10 in general for the control operation)

As to claim 32, Belotserkovsky discloses a first measuring device that is arranged to determine the amount of at least one component of the coating on the paper web is measured by reflection measurement (see Figure 2, which shows a sensor that operates by reflection, and column 6, lines 49-51, which recite a "reflectance-type infrared sensor". See also column 7, line 45 to column 8, line 32, and see in general column 6 through 10 for discussion of the sensor operation).

As to claim 33, Belotserkovsky discloses a first measuring device that is arranged to determine the amount of at least one component of the coating on the paper web is measured by reflection measurement based on infrared technique (see column 6, lines 49-51, which recite a "reflectance-type infrared sensor".)

As to claim 34, Kustermann discloses monitoring the composition of the coating (see above), but does not suggest the technique. Belotserkovsky suggests an infrared technique for monitoring the coating after it has been applied. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have applied the specific technique of Belotserkovsky to the desired sensor of Kustermann, in order to achieve the function of Kustermann.

As to claim 36 and 38, Belotserkovsky and Kustermann discloses that the amount of at least one component of the coating on the paper web is measured continuously (in Belotserkovsky, see column 6, lines 52-56, which discloses that the sensor is driven back and forth to make measurements over each slice portion, which is another way of saying continuous measurement; in Kustermann, see, for example, column 4, line 62 talks about differential signals and column 2 talks about setting the signals to change slowly, which suggests continuous signals that vary infrequently).

As to claim 37, Belotserkovsky discloses that the amount of at least one component of the coating on the paper web is the amount of a pigment in the coating on the paper web (see column 7, lines 45-65, which discloses pigments such as CaCO_3 , latex, clay; see also column 1, lines 24-39, which discloses that clay and CaCO_3 are pigments).

As to claim 39 and 40, Kustermann as incorporated discloses placing this second measuring device is in a coating reservoir in a coating head (such as sensors 62 and 64), and/or in a reservoir (such as material supply 30 with composition sensor 52). Furthermore, the additional locations (such as in a mixer, or a feed line, or a separate sample line, or transfer lines, storage tanks, etc) are considered to be obvious alternative positions to place the sensor of Kustermann.

8. Claims 26 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over either Kustermann alone, or Belotserkovsky and Kustermann, as applied to claims 21 and 30 above, and further in view of Workman (US 6,452,679).

Kustermann and Belotserkovsky generally suggest various reflectance or transmission sensing systems and methods, such as infrared reflectance techniques. Kustermann and Belotserkovsky are silent as to Raman spectroscopy.

However, Workman discloses that it is known to use both infrared and raman spectroscopy techniques in monitoring the composition of a coating that is applied to a web. Furthermore, it would be obvious to apply the techniques either to the web or the coating material. Workman suggests that each technique delivers different information as to the components of the web, and that multiple sensors improve detection (see columns 5 and 6). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized such raman spectroscopy techniques in order to improve detection.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to George R. Koch III whose telephone number is (571) 272-1230 (TDD only). If the applicant cannot make a direct TDD-to-TDD call, the applicant can communicate by calling the Federal Relay Service at 1-866-377-8642 and giving the operator the above TDD number. The examiner can also be reached by E-mail at george.koch@uspto.gov in accordance with MPEP 502.03. The examiner can normally be reached on M-F 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Fiorilla can be reached on (571) 272-1187. The fax phone

Art Unit: 1734

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


George R. Koch III
Primary Examiner
Art Unit 1734

GRK
5/19/2007